

# Index

The Index lists topics covered in the book in the order of the alphabet.

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

## A

**Abandonment, as emotional abuse,** 292

**Abdomen pain** *see* **Pain**

### Abortion

as choice of woman, 207  
deciding against, 210–211  
forced, 306  
illegal, 208  
natural family planning methods following, 200  
pregnancy after, 208  
pressure for, 209  
rape and, 302  
reasons for, 207  
safe, 208  
unsafe, 81, 208  
*also see* **Miscarriage**

**Abscess, breast infection and,** 260, 262

**Abuse of disabled girls and women**

as even more likely, 287  
fault not the girl or woman's, 58, 298, 300, 309, 311  
harmful beliefs about, 287, 288, 289, 307, 312  
health workers alert to signs of, 326  
in institutions, 306–307  
overview, 289–290  
police, reporting to, 297  
prevention, 295–296, 311–312  
self-defense, 308–311  
support groups for, 26, 295–297, 312  
talking about it necessary, 187, 295, 300, 301, 305  
as trauma, 57  
*also see* **Emotional abuse; Physical abuse; Rape; Sexual abuse; Violence against women**

*also see* **Emotional abuse; Physical abuse; Rape; Sexual abuse; Violence against women**

### Accessibility

beds in hospitals, 40  
doors, 39  
handrails, 38  
health center and hospital, suggestions for, 36–40  
ramps, 40, 123  
right to, 24, 33–34

toilets, 39, 40, 123  
working for change, 17–19, 21, 22–27, 34  
*also see* **Barriers**

**Acetaminophen (paracetamol),** 350

**Acupuncture,** 180

**Acyclovir,** 333

**Adaptive devices** *see* **Equipment**

**Adoption,** 83

**Adrenaline (epinephrine),** 342

**Aging** *see* **Older women**

**AIDS** *see* **HIV/AIDS**

### Alcohol

avoiding in pregnancy, 213, 215  
as cause of disability, 13  
hepatitis and avoidance of, 168  
infertility and, 82  
menopause and, 283  
no use on skin, 117  
trauma reactions and, 57

**Allergic shock medicines**

dexamethasone, 340  
epinephrine, 342

### Allergies

antibiotics and, 330  
HIV and signs of, 175  
lubricants and, 192  
medicines and, 329  
penicillin, 163  
signs of, 329

**Aloe,** 230, 303

**Alzheimer's disease,** 281

**Aminoglycosides,** 331

**Amoxicillin,** 334

**Ampicillin,** 334

**Amputations, women with**

burping baby, 264  
nurturing confidence in, 20  
pregnancy and, 222  
prosthetics, lack of, 9, 11  
self-image, 53

### Anal sex

as family planning method, 203  
lubricant for, 182  
safer sex and, 181, 182

**Anemia (weak blood)**

ART and, 360

diet to prevent, 87, 88  
early detection, 126  
folic acid deficiency and, 216  
heavy monthly bleeding and, 111  
pregnancy and, 215  
signs of, 87  
treatment of, 88

### Anger

and caregivers, 317, 318, 319  
trauma and, 57  
*also see* **Feelings**

**Animal milk,** 263–264

### Antibiotics

allergies to, 330  
families of, 330–331  
substitution of, 330  
use only when necessary, 331  
yeast infections and, 111  
*also see* **Medicines**

**Antiretrovirals (ARV),** 170, 176, 358  
*also see* **ART**

**Antiretroviral Therapy** *see* **ART**

### Anus, 78

bleeding from (hemorrhoids), 108  
discharge from, 160  
sexuality and, 145

**Anxiety (feeling nervous or worried)**

signs, 56  
stress and, 51

**ART (antiretroviral therapy)**

availability of, 176  
breastfeeding and, 262  
directions for use, 359–360  
overview, 170, 176, 358  
pregnancy and preventing passing to baby, 170, 233  
questions to consider, 358–359

**Arthritis, women with**

childbirth by, 213  
heat therapy and, 152  
medicine for, timing of, 152  
older women and, 279  
sexuality and, 150, 151, 152  
swimming as exercise, 90

**ARV (anti-retrovirals),** 170, 176, 358  
*also see* **ART**

**Aspirin**, 335  
ears ringing, or bruising easily, 120  
taking separate from ibuprofen, 120

**Assertiveness, self-defense and**, 309, 311

**Attitudes as barrier**, 1–3  
accessibility and, 9  
disability as stigma, 300  
as discrimination, 52  
in family, 19–20  
HIV/AIDS as stigma, 179  
pregnancy and motherhood, 209–210, 219  
rape as stigma, 299, 300, 305  
sexuality and, 139  
STIs and, 30  
wheelchairs and, 9–10  
*also see* **Attitudes of health workers, Harmful beliefs about disability; Working for change**

**Attitudes of health workers, as barrier**  
accessibility, 9, 35  
family planning, 186  
HIV/AIDS, 174, 176  
illnesses of disabled women, 2, 3  
improvement of, 41–42  
medical understanding of disability, 7  
sexuality, 30–32, 176  
sterilization, 204

**Azithromycin**, 335

## B

### Babies

bathing, 270  
burping (wind), 264  
care just after birth, 250–251  
carrying and moving about with, 271–272  
changing and dressing, 268  
cleaning the baby, 269–270  
comforting baby, 266–267  
constipated, 270  
cord care, 250  
danger signs at birth, 246, 251  
death of, 11, 261  
diarrhea in, treatment of, 274  
feeding 263–265  
help needed for care of, 253–254  
HIV/AIDS and, 261–262

holding during breastfeeding, 256–257  
illnesses of, causing disabilities, 12  
keeping up with, 273  
mucus removal from, 246  
oils or laxatives not given to, 270  
oxygen during pregnancy, 227  
pushing out, 246  
rehydration drink for, 274  
relationship with mother, 253–254, 266–267, 269  
sex of, 212  
sleeping with, 268  
tetanus in, 251  
thrush, 111, 260  
toys for, homemade, 269  
water safety, 275  
in wrong position, 245  
*also see* **Breastfeeding; Childbirth; Children; Family planning; Pregnancy**

**Back pain** *see* **Pain**

**Bacterial vaginosis**, 113–114, 162

**Balance, older women and**, 279, 280

**Balls** *see* **Testicles**

**Bananas, potassium and**, 274

**Bandages, safe handling of**, 179, 180

**Barrier methods of family planning**  
comparison chart with other methods, 188  
overview, 187  
paralysis and choice of, 206

**Barriers**, 1–3  
communication, lack of, 35  
corruption, 35  
to good health care, 1–3, 35  
removal of, as right, 10  
stigma as, 300  
*also see* **Accessibility; Attitudes as barrier; Harmful beliefs about disability; Physical barriers; Poverty; Social barriers; Stigma**

**BCA (bichloroacetic acid)**, 166, 354

**BCG immunization**, 276

**Bedding**  
cleaning, hepatitis prevention and, 179  
monthly bleeding and, 109

**Bed nets**, 178, 275

### Beds

homemade, for pregnancy, 224  
hospital, 40

**Bed sores** *see* **Pressure sores**

**Begging, disabled women forced into**, 15, 22

**Benzathine penicillin**, 336

**Benzylpenicillin**, 336

**Bichloroacetic acid (BCA)**, 166, 354

**Birth** *see* **Childbirth; Labor**

**Birth canal** *see* **Vagina**

**Birth control** *see* **Family planning**

**Bisacodyl suppositories**, 107

**Bladder control** *see* **Urine passing**

**Bladder infection**  
catheters and, 101, 119, 229  
dysreflexia and, 105, 117, 119  
pregnancy and, 230–231  
prevention, 106, 231, 284  
signs, 105  
treatment, 105

**Bleach, sanitizing with**, 192

**Bleeding**  
in brain, dysreflexia and, 118, 133, 239  
feet and, 97  
of hemorrhoids, 108  
implants and, 199

**Bleeding from vagina**  
after childbirth, 233, 247, 255  
anemia during pregnancy, 215  
anemia following childbirth, 87  
during labor before baby is born, 246  
during pregnancy, 220, 246  
IUD insertion side effect, 195  
miscarriage, 219  
rape and, 303  
tubal pregnancy, 220  
unsafe abortion, 208  
*also see* **Monthly bleeding**

**Blindness**  
diet causing, 11  
leprosy causing, 280

**Blind women**  
arthritis and, 279  
as athletes, 17  
baby of, cleaning, 270  
baby of, keeping close, 251, 268  
baby of, keeping up with, 273  
birthing positions and, 241  
body image of, 53

- caregiving needs of, 121, 314  
 communication, 35–37  
 condoms, practice using, 190  
 education requirements for, 22  
 health exams and, 127, 138  
 health worker helping, 43  
 hearing loss and, 280  
 infection, detection of, 96  
 monthly bleeding and, 74, 109  
 older women, 280  
 sexuality and, 146, 156  
 STI signs, checking for, 159  
 touching, 43, 138
- Blood clots**  
 hormonal methods of family planning and, 196, 197  
 HRT and, 283
- Blood pressure, allergy to medicine and low**, 329  
*also see* **High blood pressure**
- Blood transfusions**  
 childbirth by women of short stature and, 213  
 HIV and, 180
- Blood, weak** *see* **Anemia**
- Body fluids, safe handling of**, 179, 180
- Body image**  
 family and community promotion of, 68  
 improvement of, 53
- Bones** *see* **Weak bones**
- Bottle, breast milk removal with warm**, 258
- Bottle feeding, safety of**, 264
- Bowel program**  
 arthritis and, 279  
 childbirth and, 238, 239  
 cleanliness and, 100, 106  
 defined, 107  
 hemorrhoids, 108, 230  
 pregnancy and, 215, 224, 229–230  
 sex and, 152  
 suppositories for, 107  
*also see* **Constipation; Stool**
- Boyfriends** *see* **Partners**
- Braille**  
 education in, 22  
 HIV test centers and, 172
- Brain damage**, oxytocin as source of, 13
- Brand name medicines**, 329
- Breast cancer, HRT and**, 283
- Breast exam**, 128–130  
 preparation for, 127–128
- Breastfeeding**  
 additional foods at six months old, 263, 265–266  
 additional foods or liquids not recommended, 255, 261, 262  
 antibiotics during, 261  
 ART and, 262  
 assistance with, 256  
 benefits of, 255  
 bleeding after labor stopped by, 247  
 bra or wrap to assist, 257  
 care of breasts during, 259–261, 262  
 colostrum, 255  
 as family planning method, 188, 199  
 frequency of, 250  
 by friends or relatives, 263  
 HIV/AIDS and, 170, 199, 261–262  
 hormonal family planning methods and, 198, 199, 356  
 how to breastfeed, 255–257  
 infection of breast (mastitis), 260–261, 262  
 injectable and implant contraceptives safe during, 198, 199  
 learning and understanding disabilities and, 254  
 nipples sore or cracked, 259, 260, 261, 262  
 pain medicines during, 261  
 pain when first starting, 256  
 penicillin allergy, 163  
 removing milk by hand, 255, 257–258, 259  
 signs baby has enough milk, 259  
 to stop milk production, 249  
 thrush, 260  
 unable to breastfeed, 255, 257–258, 263–264  
 weaning the baby, 262, 265–266  
*also see* **Breastmilk**
- Breastmilk**  
 colostrum, 255  
 feeding with cup, 263  
 pasteurizing, 262  
 as perfect food for baby, 255, 261  
 removing by hand, 257, 258  
 storage of, 258–259
- Breast pump**, 257
- Breasts**  
 illustrated, 73  
 infection (mastitis), 260–261, 262  
 painful or sore, breastfeeding and, 259  
 painful or swollen, monthly bleeding and, 73, 110  
 puberty, changes in, 72  
 self-exam of, 129–130  
 swelling of, hormonal methods of family planning and, 196  
 uneven size or shape, 73  
 yeast infection and breastfeeding, 260  
*also see* **Lumps in breast**
- Breath and breathing**  
 allergy to medicine and, 329  
 anxiety and, 56  
 baby's first, 247  
 exercising and, 91  
 of infant, danger signs and, 251  
 labor and birth, 235, 236, 240  
 lifting properly and use of, 90  
 post-polio syndrome and, 279  
 pregnancy and, 217, 221, 236  
 pushing exercise and, 134  
 relaxation exercise, 61  
 stress and, 50  
*also see* **Shortness of breath**
- Buffalo milk, feeding**, 263–264
- Buildings, improving access to**, 38–40
- Burning feeling on passing urine**, 105, 111, 159, 160
- Burning in feet or hands, ART and**, 360
- “But why...?” game**, 31–32
- 
- C**
- Caffeine drinks**  
 menopause and avoidance of, 283  
 need for water not met by, 231
- Calcium**  
 cleft palate and lack of, 11  
 foods rich in, 86  
 injectable contraceptives and need for, 198  
 keeping bones strong with, 86  
 muscle cramps and, 225
- Cancer**  
 of cervix, HPV and, 165  
 early detection, 126  
 Kaposi's sarcoma, 175

nuclear accidents and, 12

**Candida** *see* **Yeast infection**

**Canes and sticks**

caregiver keeping track of, 314  
 care of, 365  
 finding when knocked away, 311  
 homemade, 223, 365  
 length of, 365  
 older women beginning to use, 279  
 self-defense with, 310–311

**Carbamazepine, oral  
 contraceptives interacting  
 with,** 355

**Caregivers, support for,** 313–326  
 breaks and other benefits needed,  
 122, 314, 315, 316, 324–325, 326  
 feelings of caregivers, 317–318,  
 319, 322–323, 326  
 government advocacy by  
 caregiver groups, 318  
 paid personal assistants, 316  
 receiving help from disabled  
 woman, 320  
 respect, 314  
 self-care, 319–320  
 support group for, 321–325  
 training, 316

**Caregiving**

child feeding support, 266  
 comforting the baby, 266, 267  
 contractures, preventing, 94–95  
 decisions about care, 314  
 general needs for, 121  
 health exam support, 127, 134, 137  
 monthly bleeding cleanliness,  
 109–110  
 muscle stretching, 91  
 older women, 281  
 paid personal assistants, 316  
 passing urine or stool, cleanliness  
 and, 100, 109  
 pregnancy, support for, 233  
 pressure sore prevention, 114–117  
 puberty support, 76–77  
 relaxing spastic (tight) muscles, 92  
 sex partners as caregivers, 148  
 sexual health, support for, 150,  
 155, 183  
 sign language and, 369  
*also see* **Abuse; Examination of  
 self or with assistance;**

**Family; Partners**

**Carts** *see* **Wheeled carts**

**Catheters**

arthritis and, 279  
 bent or twisted, 106, 117, 238  
 bladder infection treatment  
 using, 119  
 blocked, 119  
 blood in, 109  
 childbirth and, 238, 239  
 cleanliness and, 102, 103, 104  
 dysreflexia and, 102, 119  
 fixed (Foley), 102, 229  
 insertion of, 103–104  
 loss of control of bladder with  
 fixed, 229  
 monthly bleeding and, 109  
 overview, 102  
 pelvic exam and, 130  
 pregnancy and, 229, 231  
 sex and, 152  
 size, 102  
 urinary infections, 101, 102, 104, 106  
 urine bags, 130

**Causes of disability,** 10–14

accidents, 12–14  
 folic acid deficiency, 216  
 illness, 12  
 inherited disabilities, 14, 212  
 medicines and injections, 13  
 poor access to health care, 12  
 poverty and malnutrition, 10–11  
 social, 7  
 war, 11

**CD4 count,** 358

**Cefixime,** 337

**Cephalosporins,** 331

**Cerebral palsy, women with**

childbirth by, 213, 243  
 communication requirements  
 for, 36  
 constipation and, 108  
 hemorrhoids and, 108  
 pelvic exam and spastic  
 muscles, 134  
 sexuality and, 150, 152  
 stretching muscles, 91  
 tight (spastic) muscles, 92, 134

**Cervical cap** *see* **Diaphragm and  
 cervical cap**

**Cervix**

genital warts (HPV) and, 165  
 illustrated, 79  
 opening during labor, 236, 237  
 sex and, 79

**Chamomile,** 168, 303

**Chancroid,** 164

**Checkups** *see* **Exams**

**Chemicals**

avoiding in pregnancy, 215  
 as cause of disability, 13, 14  
 infertility and, 82

**Chest pain**

Oral contraceptives and, 197  
 panic attacks and, 56

**Childbirth**

baby in wrong position, 245  
 bleeding after, anemia and, 87  
 bleeding before, 246  
 care for a new baby, 250–251  
 care for a new mother, 249  
 danger signs after, 247–248  
 danger signs during, 245–247  
 danger signs for baby, 246, 251  
 depression or sadness  
 following, 250  
 early labor, sex during pregnancy  
 and, 217  
 epidural, 238, 239  
 female genital cutting and, 245  
 fever, 246  
 genital herpes and, 165  
 green or brown waters, 246  
 in hospital, when needed, 165,  
 208, 213, 233, 238, 239, 244  
 long labor, 246  
 natural family planning methods  
 following, 200  
 person to accompany woman,  
 235, 236  
 plan for, 214  
 positions and chairs for, 240–242  
 prior abortions and, 208  
 pushing baby out, 246  
 toxemia of pregnancy, 246–247  
 vaginal delivery, 234, 242, 244  
 working for change, 251  
*also see* **Abortion; C-section;**  
**Family planning; Labor;**  
**Pregnancy**

**Children**

abuse of, 57  
 as caregivers, 315  
 cleanliness and, 275  
 diarrhea in, treatment of, 274  
 diet of, 265–266, 275  
 early assistance for disabled, 21  
 health of, protecting, 274–276  
 illness in, seriousness of, 274  
 injections in, causing disability, 13

- also see* **Babies; Childbirth; Family planning; Vaccinations**
- Chills**  
breast infection (mastitis) and, 260  
childbirth with fever and, 246  
IUD and, 195  
kidney infection and, 106  
pressure sore infection and, 116  
womb infection and, 248
- Chlamydia**  
signs, 160  
treatment, 161–162
- Ciprofloxacin**, 337
- Circumcised women** *see* **Female genital cutting**
- Circumcision**, 168, 180
- Clap** *see* **Gonorrhea**
- Cleanliness**  
bleach, sanitizing with, 192  
bottle feeding, 264  
bowel program, 107  
breastfeeding, 259  
catheter insertion, 102, 103, 104  
childbirth preparation, 237  
cleaning and changing baby and, 269  
condoms for women, reusing, 192  
daily care, 96  
feeding of baby, 263–265  
hepatitis prevention, 168  
HIV prevention, 110, 179–180  
monthly bleeding, 106, 109–110  
mouth and teeth, 98–99  
neglect and, 293  
passing urine and stool, 100, 106, 107  
pressure sores, 115, 116, 117  
sharp instruments that cut or pierce skin, 168, 179, 180  
urinary infection prevention, 106, 231
- Cleft palate**, diet causing, 11
- Clindamycin**, 338
- Clitoris**, 78, 145, 146
- Clothing**  
of baby, 268, 270  
body image and, 53  
handling for HIV and hepatitis, 179  
menopause comfort and, 283  
pregnancy and, 224  
removal, adaptations to assist, 123  
shoes and foot health, 97  
socks and foot health, 97  
underclothes, clean cotton, 113
- Clotrimazole**, 338
- Coconut water, potassium and**, 274
- Coffee** *see* **Caffeine drinks**
- Cold/ice therapy**  
before stretching muscles, 91  
breast infection (mastitis), 261  
for hemorrhoids, 108  
overview, 120  
for painful joints in pregnancy, 228  
for repetitive motion injuries, 93
- Cold temperature, dysreflexia and**, 117, 118
- Colostrum**, 255
- Coming-of-age ceremonies**, 77, 142, 155, 156
- Communication**  
as accessibility issue, 23, 36–37  
with neighbors, 64  
self-defense methods, 308–309  
sex needs and limitations, 147–149  
simple, for women with learning disabilities, 36  
*also see* **Sign language**
- Community**, 5–27  
abuse prevention, 312  
arranging for assistance, 122  
creating picture of, 67  
education promoted by, 22, 69  
groups of women raising awareness in, 18–19  
inclusion as strengthening of, 27  
institutional abuse as issue of, 307  
low status of women, 212  
mental health promoted by, 68–69  
miscarriage and, 219  
older women active in, 285–286  
pregnancy and, 209, 212  
puberty support by, 76–77  
sexual health support by, 139, 156, 183–184  
stigma of HIV/AIDS and, 179  
stigma of rape and, 299, 300, 305  
toilet and latrine improvement, 123  
women's health as issue of, 29  
*also see* **Attitudes as barrier; Gender; Harmful beliefs about disability; Inclusion; Support groups; Working for change**
- Community health workers**  
*see* **Health workers**
- Condoms for men**  
comparison chart with other methods, 188  
disposal of, 190  
hepatitis prevention and, 168  
illustrated, 80  
lubricants to use with, 151, 152, 189  
for oral sex, 181  
overview, 189  
practice putting on, 190  
pregnancy and, 217  
rape and use with partner following, 303  
safer sex and, 181–182  
sign language for, 370  
social barriers to use of, 32, 189  
STIs and HIV protection with, 181, 189, 285  
*also see* **Condoms for women**
- Condoms for women**  
cleaning for reuse, 192  
comparison chart with other methods, 188  
illustrated, 80  
lubricants to use with, 192  
STI and HIV protection with, 191  
use of, 191–192
- Confidence**  
need for, 54  
nurturing, 20, 21  
questions from disabled women and, 42  
as self-defense, 309, 311
- Conjunctivitis (pinkeye)**, 99
- Constipation (difficulty passing stool)**  
in baby, 270  
dysreflexia and, 108, 117, 119  
lack of water causing, 102, 108  
laxatives, 108, 229, 270  
lidocaine treatment for emergency, 119  
pregnancy and, 229  
prevention, 108
- Contraception** *see* **Family Planning**
- Contraceptive patch**, 196
- Contraceptive ring**, 196
- Contractions**  
birth process, 237  
changing position between, 240  
dysreflexia and, 117  
practice, 236  
watching for signs of labor, 238

**Contractures**, 94–95

*also see Spastic (tight) muscles*

**Convulsions**

dysreflexia and, 133, 239  
toxemia of pregnancy and, 232, 247  
*also see Epilepsy*

**Copper T** *see* IUDs**Cortisol**, 345**Cotrimoxazole**, 339**Coughing**

HIV/AIDS and, 169, 175  
with phlegm, pregnancy and, 227

**Counseling**

for abuse, 312  
as accessibility issue, 36  
for depression, 55

**Counting days method**, 201–202**Court, rape and going to**, 302, 304**Cow milk, feeding**, 263–264**Cramps**, 110**Cream contraceptive** *see*  
**Spermicides****Crutches**

homemade, 223  
muscle overuse and, 92  
older women and, 278, 279  
repetitive motion injuries, 93–94, 278  
self-defense with, 310–311  
sling for carrying baby, 271  
using properly, 94

**C-section**

avoiding, 242, 244  
genital herpes and, 165  
hospital delivery advised  
following, 244  
scar placement, 244

**Cycle** *see* **Monthly bleeding**

## D

**D&C (dilation and curettage)**, 208**Daily activities**

care for baby and, 253  
decisions about care, 314  
exercise gotten through, 88  
older women seeking assistance  
for, 281  
pregnancy and, 223  
signs of mental illness interfering  
with, 59

**Daily care**

assistance with, need for, 121

attention to minor signs, 96

eyes, 99–100  
foot care, 96–98  
hair check, 96  
hand care, 96, 98  
monthly bleeding, 106, 109–110  
mouth and teeth, 98–99  
skin check, 96  
*also see Bowel program;  
Caregiving; Urine passing*

**Danger signs**

abuse, 326  
AIDS, 169  
allergy to medicine, 329  
anemia, 87  
in babies, at birth, 246, 251  
bacterial vaginosis, 113  
bladder infection, 105  
bleeding after childbirth, 247  
bleeding during pregnancy, 220  
breast infection (mastitis), 260  
childbirth, after, 247–248  
childbirth, during, 245–247  
chlamydia, 160  
depression, 54, 282  
dysreflexia, 118  
foot infection, 97  
genital herpes, 165  
genital warts (HPV), 166  
gonorrhea, 160  
hepatitis, 167, 168  
implants, 199  
infection following rape, 303  
IUD problems, 195  
kidney infection, 106  
labor and, 245–247  
mental illness (psychosis), 59  
oral contraceptives, 197  
PID (pelvic inflammatory  
disease), 161  
pressure sores, 114  
STIs, 158–159  
stress, 50–51  
suicidal feelings, 55  
syphilis, 163  
toxemia of pregnancy, 232, 246  
trauma reaction, 57  
trichomonas, 159  
tubal pregnancy, 220  
womb infection, 248  
yeast infection, 111  
*also see Emergency and  
urgent care; Side effects;  
specific signs*

**Deafness, German measles and**, 12**Deaf women**

arthritis and, 279  
baby of, keeping close, 251, 267  
caregiving needs of, 121, 314  
communication, 35–37, 64  
driving vehicles, 18  
education requirements for, 22  
eye impairments and, 280  
health exams and, 127, 138  
health worker helping, 43  
hearing aids, care of, 363–365  
interpreter for, 138  
learning ability of, 6  
older women, 280  
privacy with health workers and, 174  
rape, getting help after, 301  
sexuality and, 146, 156  
*also see Sign language*

**Death of baby**

from diarrhea, 261  
with disabilities, 11

**Dehydration drink**, 274**Dementia**, 281**Depression**

abuse causing, 290–291  
after childbirth, 250  
exercise helping, 88  
older women and, 54, 55, 282  
prevention of, 282  
signs, 54, 282  
stress and, 51  
suicidal feelings, 55  
*also see Feelings*

**Devices** *see* **Equipment****Diabetes**

early detection, 126  
infertility and, 82  
toxemia of pregnancy and, 232  
yeast infections and, 111

**Diagnosis** *see* **Danger signs;**  
**Exams and tests; specific signs****Diaper changing**, 269–270  
sleeping with baby and, 268**Diaphragm and cervical cap**

comparison chart with other  
methods, 188  
HIV/AIDS protection with, 193  
use of, 193

**Diarrhea**

ART and, 360  
baby deaths from, 261  
breastmilk as defense against, 255

in children, treatment of, 274  
 HIV/AIDS and, 169, 175, 177  
 Oral contraceptives and, 197

**Diazepam**, 340

**Dicloxacillin**, 340

**Diet**

after childbirth, 249  
 as cause of disability, 10–11  
 constipation prevention, 108  
 healthy diet, 86–88  
 hepatitis and, 168  
 HIV/AIDS and, 176, 177–178  
 infertility and, 82  
 menopause and, 283  
 muscle cramps and, 225  
 for older babies, 265–266  
 in pregnancy, 215–217, 221, 222, 232  
 pregnancy, trying for, 213  
 pressure sore prevention and, 117  
 types of foods, 87  
 weak bones (osteoporosis)  
 prevention and, 86, 280  
*also see* **Breastfeeding**

**Digital exam**, 131

**Disabilities**

defined, 6  
 medical understanding of, 7  
 as natural part of life, 7  
*also see* **Barriers; Causes of disability; Harmful beliefs about disability**

**“Disability lens,”** 34

**Disabled women** *see* **Women with disabilities**

**Discharge from penis**, 160

**Discharge from vagina**

abnormal  
 bacterial vaginosis, 113  
 gonorrhea, 160  
 HIV/AIDS and, 169  
 IUD problems, 195  
 trichomonas, 159  
 womb infection, 248  
 yeast infection, 111  
 attention to minor signs, 96  
 changes in, 158  
 labor signs and, 237  
 normal, 111, 158  
 puberty and, 72, 74  
 sex and, 79, 145

**Discrimination** *see* **Attitudes as barrier; Harmful beliefs about disability**

**Disease** *see* **Illness; Prevention**

**Disinfecting equipment and tools**

baby bottles, 264  
 with bleach, 192  
 sharp instruments that cut or pierce skin, 168, 179, 180  
*also see* **Cleanliness**

**Dizziness**

anemia, 87  
 tubal pregnancy, 220

**Doctors**

female, need for, 35  
 working for change in childbirth conditions, 251  
*also see* **Health center; Health workers; Hospital**

**Doors, accessibility**, 39

**Down syndrome**

causes of, 12, 14  
 menopause and, 282  
 older women and, 281, 282  
 physical characteristics of, 14

**Dowry**, 144

**Doxycycline**, 341

**DPT vaccine**, 276

**Drawing and painting**

picture of community, 67  
 rape and abuse, talking about, 295, 300  
 in support groups, 66–67  
 trauma recovery and, 58

**Dressings, safe handling of**, 179, 180

**Drug resistance**

antibiotics, 327  
 ART, 359

**Drugs**

infertility and, 82  
 needle sharing, 180  
 trauma reactions and, 57  
*also see* **Alcohol; Medicines; Tobacco**

**Dry sex**, 151, 182, 284

**Dysreflexia**, 117–119

causes of, 117, 132  
 childbirth and, 238–239, 240  
 as medical emergency, 118, 133, 239  
 pelvic exam and precautions against, 132–133  
 pregnancy and, 213  
 sex and, 153  
 signs, 118  
 treatment, 118–119

**E**

**Ear piercing**, 180

**Ears** *see* **Deaf women; Hearing impairments, women with**

**Eating** *see* **Diet**

**Education**

community ensuring, 22, 69  
 denied to girls and women, 22, 51, 52, 292  
 family promoting, 69  
 literacy classes, 18, 26  
 and partners, finding, 143  
 sexual health, 142, 156, 182–184, 204  
 on violence against women, 312  
 working for change, 22, 24

**Efavirenz**, 361

**Ejaculation**, 79, 82, 145, 203, 205

**Elders** *see* **Older women**

**Emergency methods of family planning**

IUD as, 205  
 overview, 205  
 rape and, 302  
 side effects of, 358  
 use of, 357–358

**Emotional abuse**

abandonment, 292  
 isolation, 292, 306  
 neglect, 293  
 overview, 290  
 as weakening woman, 291  
*also see* **Abuse**

**Emotions** *see* **Feelings**

**Enemas, avoid during pregnancy**, 229

**Epidural**, 238, 239

**Epilepsy, women with**

baby safety, 272  
 Down syndrome, 281  
 gums swollen and sore, 98  
 hormonal methods of family planning, 196, 198  
 older women, 280, 281  
 pregnancy, 214, 231  
*also see* **Convulsions**

**Epinephrine**, 342

**Equipment**

baby cushion, 272  
 barriers to protect baby, 272, 273  
 bed for baby in mother's bed, 268  
 bed for pregnancy, 224  
 birthing chairs and stool, 241, 242

care of, 363–368  
 changing table, 268  
 clothing removal, 123, 268  
 crutches and canes, making, 223  
 handles for holding things, 98  
 harness for older baby, 272  
 hearing aids, 363–365  
 sling to carry baby, 271–272  
*Velcro*, 268, 270  
 walker, making, 223  
*also see* **Canes and sticks;**

**Catheters; Crutches;**  
**Mobility aids;**  
**Prosthetics; Wheelchairs**

**Ergometrine maleate**, 342

**Erythromycin**, 343

**Estrogen**

menopause and, 282, 284  
 puberty and, 72  
 weak bones (osteoporosis) and, 280  
*also see* **Hormonal methods of family planning**

**Examination of self, or with assistance**

of breasts, 128–130  
 in daily care, 96  
 exams to do at home, 135  
 of feet, 97  
 pressure sore detection, 114, 117  
 for STIs, 158–159

**Exams and tests**

of babies, for leprosy, 12  
 breast exam, 128–130  
 CD4 count, 358  
 need for, 125–126  
 other suggested exams to stay healthy, 135  
 permission, asking for, 304  
 preparation for, 127–128  
 for STIs, 12, 164, 169  
*also see* **Pelvic exam**

**Excision** *see* **Female genital cutting**

**Exclusion, as harmful belief**, 15  
*also see* **Barriers; Harmful beliefs about disability**

**Exercise**, 88–95

for caregivers, 319  
 change position, 89, 278  
 constipation prevention, 108  
 lifting objects, 90  
 menopause and, 283  
 older women and, 278–279  
 pain management with, 120  
 post-polio syndrome and, 279

pregnancy and, 226, 227  
 swimming, 90, 120, 227  
 tight (spastic) muscles and, 92, 226

**Exercises**

for contractures, 94–95  
 during labor, 243  
 for joint overuse injuries, 93, 94  
 pushing exercise for spastic muscles, 134  
 relaxation, 61  
 squeezing exercise, 101, 215, 229  
 stretching muscles, 90–91

**Eye patch**, 100

**Eyes**

of baby, care for, 250  
 blurred or double vision, 246  
 blurred vision or seeing spots, 118  
 care of, 99–100  
 leprosy and problems with, 99–100  
 older women and eyesight loss, 280

## F

**Factories, unsafe working conditions**, 13–14

*also see* **Work**

**Fainting**

allergy to medicine, 329  
 anemia, 87  
 panic attacks and fear of, 56  
 tubal pregnancy, 220

**Fallopian tubes**

illustrated, 75  
 monthly cycle and, 75, 79

**Family**

abuse prevention by, 311  
 abuser protected by, 298  
 adoption, 83  
 attitudes as barriers in, 19–20  
 breastfeeding support by, 256  
 childbirth support by, 251  
 child feeding support by, 266  
 confidence nurtured in, 20  
 early assistance to children, 21  
 health exams support, 127, 137  
 institutions, placement in, 306  
 mental health promoted by, 68–69  
 older women and need for support by, 281  
 pregnancy, support for, 233  
 puberty support by, 76–77  
 rape, feelings about, 300, 304  
 relationships with, nurturing of, 76

self-esteem of disabled women and, 52  
 sexual health, support for, 150, 155, 183  
 sign language and, 369  
 stigma of rape and, 300  
 sudden disability affecting, 317–318  
 support group for, 21  
*also see* **Abuse; Babies; Caregiving; Children; Mothers**

**Family planning**

after pregnancy, 249  
 barrier methods, 187, 189–195, 206  
 benefits of, 185  
 breastfeeding as, 188, 199  
 comparison chart with other methods, 188  
 effectiveness of, 187–188  
 emergency methods, 205  
 hormonal methods, 187, 196–199, 206, 355–358  
 intrauterine devices (IUDs), 187, 195, 205, 206  
 menopause and use of, 285  
 natural methods, 187, 200–203  
 paralysis and, 206  
 permanent methods, 187, 203–205  
 sign language for, 369  
 working for change, 186, 205  
*also see* **Abortion; Pregnancy; Safer sex; Sex; specific methods**

**Farming, dangerous work conditions**, 13, 14

**Feelings**

body changes and, 76  
 of caregivers, 317–318, 319, 322–323, 326  
 healthy ways to talk about, 318  
 menopause and, 282, 283  
 miscarriage and, 219  
 monthly bleeding and, 110  
 of partner, after rape, 305  
 puberty and, 72  
 rape and, 300, 301, 304, 305  
 sadness after childbirth, 250  
 sexual health and, 153–154  
 suicidal, 55  
 support groups recognizing, 66  
*also see* **Communication;**

**Mental health**

**Feet**

care of, 96–98

swelling of, in pregnancy, 222, 232

**Female condoms** *see* **Condoms for women**

**Female genital cutting**

childbirth and, 245  
hepatitis prevention, 168  
pain during sex, 151  
as practice, 245

**Fertility awareness methods of family planning**

comparison chart with other methods, 188  
counting days method, 201–202  
mucus method, 200–201

**Fertilization**, 75, 80, 187

**Fever**

ART and, 360  
breast infection (mastitis) and, 260  
chancroid and, 164  
genital herpes and, 165  
gonorrhea and, 160  
hepatitis and, 167  
HIV/AIDS and, 169, 174, 233  
IUD and, 195  
kidney infection and, 106  
labor with, 246  
pressure sore infection and, 116  
syphilis and, 163  
tetanus of newborn and, 251  
womb infection and, 248

**Fibroids**, miscarriage and, 82

**Fits** *see* **Convulsions; Epilepsy**

**Fixed (Foley) catheter**, 102, 229

**Foam contraceptive** *see* **Spermicides**

**Foley catheter**, 102, 229

**Folic acid (folate)**, 216  
cleft palate and lack of, 11

**Food** *see* **Diet**

**Formula**

learning disabilities and preparation of, 254  
malnutrition resulting from, 261  
safety of feeding, 263–264

## G

**Games for recreation**, 285

**Gender**

beauty standard and, 140  
diet and, 51, 86  
disability and, 315

education and, 22, 51, 52  
opportunities and, 9, 51  
social preference for boys, 212

**Generic medicine names**, 329

**Genital herpes**

as cause of birth defects, 12  
pregnancy and, 165  
signs, 165  
in throat, condom to prevent, 181  
treatment, 165

**Genitals**

defined, 77  
illustrated, 78, 79, 146  
men's, 79  
overview, 78  
tears and cuts in, rape and, 303  
tears in, childbirth and, 249  
washing of, 100, 103, 106, 109  
*also see* **Reproductive system; STIs**

**Genital warts (HPV)**, 165–167

cancer of the cervix and, 165  
pregnancy and, 167  
signs, 166  
treatment, 166–167

**German violet**, 344

**German measles (rubella)**, 12, 215, 276

**Girls**

as caregivers, 315  
education denied to, 22, 51, 52, 292  
food withheld from, 11, 86  
low status of, 212  
mental health of, 68–69  
mothers supporting, 21  
older women sharing experiences with, 286  
resources denied to, 9, 19  
self-esteem of, 51, 68–69, 141  
sexuality education and, 142, 155, 156

*also see* **Abuse of disabled girls and women; Education; Puberty**

**Giving birth** *see* **Childbirth**

**Glycerin suppositories**, 107, 108

**Goat milk**, 263–264

**Gonorrhea**

signs, 160  
in throat, condoms to prevent, 181  
treatment, 161–162

**Government policies and laws**

abortion following rape, 302  
abuse, teaching about, 312

for accessibility, 19, 23, 25  
benefits for older persons with disabilities, 286

as economic barrier, 33  
family planning and, 158  
hearing aids and batteries, free, 364  
HIV treatment, 176  
paid personal assistants, 316  
registration of births, 251  
*also see* **Working for change**

**Grief, miscarriage and**, 219

**Growths**

genital warts, 165–167  
pain during sex and, 151  
*also see* **Cancer; Lumps**

## H

**Handles, making**, 98

**Handrails (or ropes)**, 38, 123

**Hands**

care of, 96  
holding things, making handles for, 98  
older women and, 279  
*also see* **Cleanliness**

**Hansen's disease** *see* **Leprosy**

**Harmful beliefs about disability**

abuse, 287, 288, 289, 307, 312  
beauty standard, 140  
blaming the mother, 15  
as bringing bad fortune, 140, 149, 292  
court witnesses, 302  
exclusion, 15  
health problems caused by disability, 31, 32  
HIV/AIDS, 15, 171, 299  
sexuality, 31, 32, 140–141, 149, 157  
STIs, 157  
*also see* **Attitudes as barriers; Stigma**

**Headaches**

ART and, 360  
depression and, 51, 54  
genital herpes and, 165  
hormonal methods of family planning and, 196  
oral contraceptives and, 197  
severe, pounding, 118  
from stress, 51  
toxemia of pregnancy and, 232, 246

**Health center**

abortion procedures in, 208

- accessibility suggestions, 36–40  
 combining appointments, 36  
 HIV testing, 172–173  
 physical accessibility  
   improvements, 38–40  
 privacy and, 42, 294  
 sign language capability in, 36–37  
 sterilization procedures in, 203  
 visit by support group, 47–48  
*also see* **Exams and tests;**  
**Health workers; Hospital**
- Health workers**  
 abortion procedures by, 208  
 abuse signs, watching for, 326  
 caregivers supported by, 316, 326  
 childbirth conditions, 251  
 exams, guidelines for, 128, 137–138  
 family planning needs and, 186, 205  
 female, need for, 35  
 helping women with particular  
   disabilities, 43  
 implants, placed or removed,  
   198–199  
 injectable contraceptives, 198  
 IUD placement, 195  
 learning from disabled women,  
   34, 41–42, 326  
 pregnancy support by, 233–234, 236  
 privacy needs and, 42, 174, 184,  
   198, 294  
 providing care, 37  
 puberty support by, 77  
 rape, support for woman, 302, 304  
 respect for disabled women, 42,  
   174, 184  
 sexual health support by, 156, 184  
 sterilization by, 203, 204  
*also see* **Attitudes of health**  
**workers, as barrier;**  
**Midwives**
- Hearing aids, 363–365**
- Hearing impairments, women with**  
 baby of, keeping close, 251, 267  
 health worker helping, 43, 138  
 relationship with baby, 267  
*also see* **Deaf women**
- Heartbeat, fast**  
 allergy to medicine, 329  
 anemia, 87  
 anxiety, 56  
 dysreflexia, 153  
 stress, 50
- Heartbeat, of baby, 217, 218**
- Heart disease**  
 hormonal methods of family  
   planning and, 196  
 HRT and, 283  
 syphilis and, 163
- Heat therapy**  
 for arthritis, 152  
 back pain, 227  
 before stretching muscles, 91  
 breast infection (mastitis), 261  
 childbirth and, 237, 243  
 for monthly bleeding  
   discomfort, 110  
 for muscle cramps, 225, 243  
 overview, 120  
 for painful joints, 228  
 pregnancy and, 226, 227, 228  
 for spastic muscles, 92, 226
- Helper foods (high energy), 87**  
 first foods for baby and, 265, 266
- Helping relationships, 62**  
*also see* **Support groups**
- Hemorrhage** *see* **Bleeding**
- Hemorrhoids, 108**
- Hepatitis, 167–168**  
 hormonal methods of family  
   planning and, 196  
 injections spreading, 13  
 prevention, 110, 168, 179  
 signs, 167, 168  
 vaccines for, 168
- HepB immunization, 276**
- Herbal remedies** *see* **Traditional medicines**
- Herpes** *see* **Genital herpes**
- Herpes zoster (shingles), 175**
- Hib immunization, 276**
- High blood pressure**  
 early detection, 126  
 stress and, 50, 51  
 toxemia and, 232, 246  
*also see* **Dysreflexia**
- High dose pills, 356**
- Hips, uneven hip bones, 79**
- HIV/AIDS, 169–179**  
 AIDS, described, 169  
 breastfeeding and, 170, 199, 261–262  
 care program for, 358  
 as cause of birth defects, 12  
 combination drugs best for, 328  
 cotrimoxazole and, 177  
 cough, 175  
 counseling, 173  
 diarrhea, 175  
 diet and, 176, 177–178  
 dry sex and, 151, 182, 284  
 early detection, 126  
 fever, 174, 233  
 harmful beliefs about cause and  
   cure, 15, 171, 299  
 HIV, described, 169  
 infections prevented with  
   medicines, 177  
 injections spreading, 13  
 living positively with, 178  
 monthly bleeding and  
   caregivers, 110  
 monthly bleeding, sex during, 182  
 mouth and throat problems, 175  
 nausea and vomiting, 175  
 pregnancy and, 169, 170, 233  
 prevention of, 110, 179–182  
 prevention of, family planning  
   methods and, 189, 191, 193, 203  
 privacy and, 174  
 rape and, 303  
 safer sex, 180–182  
 sign language for, 369, 370  
 signs, 169  
 skin rashes and itching, 175  
 spread of, 170–171  
 stigma and, 179  
 test for, 172–173  
 treatment, 176–178, 358–362  
 tuberculosis (TB), 175, 177  
 weight loss and malnutrition, 175  
 women and girls more easily  
   infected by, 80, 171  
 working for change, 182–184  
*also see* **ART (antiretroviral therapy)**
- Holding baby during breastfeeding, 256–257**
- Home**  
 accidents as source of disability, 14  
 older women and changes to,  
   280, 286  
 preventing HIV and hepatitis  
   infection, 179–180  
 services in, not institutions, 307  
*also see* **Cleanliness; Equipment**
- Home remedies** *see* **Traditional medicines**
- Home visits, 35**
- Homosexuality, 145, 147, 148**

**Honey and sugar, pressure sore treatment,** 115

**Hookworm**

anemia and, 87  
sandals or shoes, 275

**Hormonal methods of family planning,** 196–199

comparison chart with other methods, 188  
implants, 198–199  
injectable, 198  
IUD, 195  
menopause and switch from, 285  
overview, 187, 196  
paralysis and choice of, 206  
progestin-only, required, 196, 198, 199, 206  
side effects, 196, 198, 199, 356  
*also see Oral contraceptives*

**Hormone replacement therapy (HRT),** 283

**Hormones,** puberty and, 72, 79

**Hospital**

abortion procedures in, 208  
accessibility suggestions, 36–40  
childbirth in, reasons for, 165, 208, 213, 233, 238, 239, 244  
HIV testing, 172–173  
mental health, 60  
privacy and, 42, 294  
sign language capability in, 36–37  
sterilization procedures in, 203  
*also see Doctors; Health workers; Institutions*

**Hot flashes,** 282, 283

**Hot temperature, dysreflexia and,** 117, 118

**Hot water** *see Heat therapy*

**HPV** *see Genital warts*

**HRT (hormone replacement therapy),** 283

**Hunger, loss of appetite,** 167

**Husbands** *see Partners*

**Hydrocortisone (cortisol),** 345

**Hymen,** 78

**Hypertension** *see High blood pressure*

**Ibuprofen,** 345  
aspirin and, 120

**Ice therapy** *see Cold/ice therapy*

**Illness**

counting days method and, 201  
infertility and, 82  
*also see Danger signs; Prevention; STIs; specific illnesses and signs*

**Immunization** *see Vaccinations*

**Impact of stool,** 108

**Impairment,** 6

*also see Disability; Women with disabilities*

**Implants**

danger signs, 199  
removal of, 199  
use of, 198–199

**Incest** *see Sexual abuse*

**Inclusion**

communities strengthened by, 27  
sexual health and, 142, 155, 156  
support groups aiding, 67

**Infections**

after childbirth, prevention of, 249  
attention to minor signs, 96  
of breast (mastitis), 260–261, 262  
feet and, 96, 97–98  
of hands or wrists, 94  
with HIV/AIDS, medicine to prevent, 177  
implants and, 199  
injections and, 13  
of pressure sores, 116  
rape and, 303  
sign language for, 369  
of womb, following childbirth, 248  
yeast causing others, 111  
*also see STIs; specific diseases*

**Infertility,** 81–82

**Infibulation** *see Female genital cutting*

**Ingrown toenails,** 97

**Inherited disabilities,** 14

**Injectable contraceptives**

breastfeeding safe with, 198  
as progestin-only method, 198  
use of, 198

**Injections**

as cause of disability, 13  
HIV prevention and, 180  
measurement of, 329  
speeding results in emergencies, 330

unnecessary, 13

**Injuries**

internal, from abortion, 208  
from pregnancy and childbirth, 247–249  
from rape, 302–303  
war creating, 11  
*also see Female genital cutting; Violence against women*

**Inner folds of the vulva,** 78, 145

**Insecticides** *see Pesticides*

**Inserts (suppositories),** 107, 108

**Institutions, abuse in,** 306–307

**Interactions of medicines,** 328

oral contraceptives and, 355  
*also see specific medicines*

**Intercourse** *see Sex*

**Interpreter for deaf women**

looking at deaf woman, 138  
privacy and, 174

**Intestinal problems, from stress,** 51, 54

**Intra-uterine devices** *see IUDs*

**Iron**

for anemia (weak blood), 88  
for pressure sore prevention, 117  
sources of, 88

**Isolation,** 54  
as abuse, 292

**Itching**

anus, 108  
genitals, 111, 113, 159, 165, 166  
nipples, 260  
skin, HIV/AIDS and, 175

**IUDs (intrauterine devices)**

comparison chart with other methods, 188  
danger signs, 195  
as emergency method of family planning, 205  
infertility and, 81  
overview, 187  
paralysis and choice of, 206  
use of, 195

**IUS (Intrauterine system),** 195

**J**

**Jaundice** *see Hepatitis*

**Jelly contraceptive** *see Spermicides*

**Jobs** *see Work*

**Joint pain and stiffness**

caution on exercising, 92  
 lack of exercise and, 88  
 older women and, 278  
 overuse injuries, 93–94  
 pain management, 120  
 pregnancy and pain in, 228  
 sexuality and, 150, 151, 152  
 treatment for, 120, 228

**K****Kaposi's sarcoma**, 175**Kidney infection**

catheters and, 101, 102  
 caution on pressing bladder to empty, 101  
 signs, 106  
 treatment, 106

**Kidney problems, toxemia and**, 232**L****Labia**, 78, 145**Labor**

birthing positions, 240–242  
 bowel program and, 238, 239  
 breathing during, 235, 236, 240  
 danger signs during, 245–247  
 dysreflexia and, 238–239, 240  
 early, laxatives or purgatives causing, 229  
 early, sex during pregnancy and, 217  
 long, 246  
 movement and walking during, 240  
 muscle cramps and spasms, 240, 241, 243  
 oxytocin overused in, 13  
 signs of, 236–237  
 things to do once started, 237  
 urine passing and, 238, 239, 240  
*also see* **Childbirth; Contractions**

**Lamivudine**, 361**Land mines**, treaty to outlaw, 11**Language**

health information in many, 36  
 simple, for women with learning or understanding disabilities, 36  
*also see* **Communication; Sign language**

**Languages**, *also see* **Sign language****Language, sexual abuse with**, 298**Laws** *see* **Government policies; Police; Working for change****Laxatives**

not given to baby, 270  
 not used in pregnancy, 229  
 use of, 108

**Learning ability**, of disabled women, 6**Learning and understanding disabilities, women with**

baby care and, 254  
 childbirth and, 236  
 communication with, 36  
 diet causing, 11  
 family planning choices for, 204  
 health exams and, 127–128, 138  
 health worker helping, 43, 236  
 in institutions, 306  
 monthly bleeding assistance for, 110  
 sexual abuse of, 141, 156, 299  
 sexuality and, 141, 156, 204  
 sterilization of, 204

**Legal issues** *see* **Government policies and laws; Police; Working for change****Legs**

swelling, oral contraceptives and, 197  
 swelling of, in pregnancy, 222, 232  
 varicose veins, 196

**Lemon juice**

contraceptive sponge, 194  
 iron released in, 88  
 for thrush, 344

**Leprosy (Hansen's disease)**

arthritis and, 279  
 blindness and, 280  
 eye problems and, 99–100  
 feet proection and, 98  
 older women and, 279, 280  
 testing babies for, 12

**Leukemia**, 12**Lice**, 275**Lidocaine**, 346**Lifting objects, how to**, 90, 320**Lips, vaginal** *see* **Vaginal folds****Liquids**

rehydration drink, 274  
*also see* **Water**

**Listening**

to caregiver's needs, 326  
 health workers and need for, 35, 41  
 by loving partner, 143  
 not listening to disabled women, 288, 302  
 in support groups, 65, 323  
 to women after abuse, 295, 300–301, 304  
 to women after trauma, 59

**Literacy, working for change in**, 18, 26**Liver**

ART and problems of, 360  
*also see* **Hepatitis**

**Loop, the** *see* **IUDs****Low back pain** *see* **Back pain****Low dose pills**, 355, 357**Lower belly pain** *see* **Abdomen pain****Lumps in breast**

in breast, 73  
 breast self-exam and, 128–129  
*also see* **Cancer; Growths**

**Lymph nodes, swollen**

in armpit, breastfeeding and, 260  
 in groin, genital herpes and, 165

**M****Macrolides**, 330**Malaria**

anemia and, 87  
 early detection, 126  
 infertility and, 82  
 living with HIV/AIDS and, 178  
 protection of children, 275

**Malnutrition**

formula feeding and, 261  
 girls and women and, 86  
 HIV/AIDS and, 175  
 infertility and, 82

**Marriage**

arranged, 144, 155  
 leaving, abuse and support for, 296–297  
 stigma of rape and, 299  
*also see* **Partners**

**Massage**

back pain, 227  
 of breast in breastfeeding, 261  
 for caregivers, 319  
 for constipation, 108  
 of gums, epilepsy and, 98

- no massage of pressure sores, 115  
no massage of spastic muscles, 92, 134, 226  
pain management with, 120  
trauma recovery and, 58
- Mastitis**, 260–261, 262
- Masturbation**, 147, 181
- Measles**  
as cause of disability, 12, 215  
immunization, 12, 276
- Measuring medicines**, 329
- Mebendazole**, 346
- Medical abortion**, 208
- Medical system**  
understanding of disability, 7  
*also see* **Health center; Health workers; Hospital**
- Medicines**  
for abortion, 208  
for allergic shock, 329  
allergy to, 329, 330  
for bacterial vaginosis, 113, 162  
for bladder infection, 105  
for bleeding after childbirth, 247  
breast infection (mastitis), 261  
as cause of disability, 13  
for chancroid, 164  
for chlamydia, 161–162  
combination medicines, 326  
for depression, 55  
diarrhea causing loss of  
  medicine, 197  
for dysreflexia, 119  
for epilepsy, 214, 231  
for eye infection, 99  
forced, as abuse, 306  
forms of, 330  
generic names and brand  
  names, 329  
for genital herpes, 165  
for genital warts (HPV), 166–167  
for gonorrhea, 161–162  
for heavy monthly bleeding, 111  
for HIV/AIDS, 176–177, 358–362  
home supply of, 121  
interactions, 328  
for joint overuse, 93  
for kidney infection, 106  
list of problems and medicines,  
  331–332  
measuring amount to take, 329  
for mental illness, 59  
for monthly bleeding  
  discomfort, 110  
by mouth rather than injection,  
  328, 330  
for pain management, 120  
for PID (pelvic inflammatory  
  disease), 162  
for pinkeye (conjunctivitis), 99  
pregnancy and, 13, 215  
pregnancy, and medicines  
  normally taken, 214, 231  
pregnancy, for pain, 228  
pregnancy, no laxatives or  
  purgatives, 229  
for pressure sores, 116  
resistance to, 327  
sign language for, 369  
swallowing, 197, 205, 328  
for swollen joints, 120  
for syphilis, 163–164  
taking all the medicine, 169, 327  
taking too much, 327  
for thrush (yeast), 260  
for trichomonas, 160, 162  
use only when necessary, 327, 331  
vaginal insertion of, 205  
vomiting up, 328  
watch for side effects, 327  
for womb infection, 248  
for yeast infection, 112, 260  
*also see* **Immunizations;**  
  **Injections; Side effects;**  
  **Traditional medicines**  
  **and home remedies;**  
  *specific medicines*
- Memory, loss of**, 281
- Men**  
abuse prevention and  
  education, 312  
as caregivers, 315  
determining sex of baby, 212  
infertility in, 82  
older, sexuality and, 284  
reproductive systems of, 79  
sexuality of, 145, 284  
sterilization for, 205  
*also see* **Partners; STIs**
- Meningitis**, as cause of disability, 12
- Menopause**, 282–285  
pregnancy possible in transition, 285  
sexual relations and, 284–285  
weak bones (osteoporosis) and, 280
- Menstrual cycle**, 75
- Menstruation** *see* **Monthly bleeding**
- Mental confusion (Alzheimer’s disease, dementia, senility)**, 281
- Mental health**  
common problems, 54–58  
emotional abuse and, 291  
family and community help, 68–69  
if you think someone has a  
  problem, 50  
no quick solutions, 49  
rape and, 305  
self-esteem and, 62–65, 68–69  
self-help, 60–65  
serious mental illness, 59–60  
stress, 50–54  
support groups, 65–67  
*also see* **Anxiety; Depression;**  
  **Feelings; Self-esteem;**  
  **Support groups; Trauma**
- Mental illness (psychosis)**, 59–60  
syphilis and, 163
- Methylergonovine maleate**, 342
- Metronidazole**, 347  
do not drink alcohol with, 113, 347
- Miconazole**, 347
- Midnight husbands**, 30, 144
- Midwives**  
choice for, at childbirth, 213  
disabled women educating, 41  
learning disabled women, help for, 236  
working for change, 233–234, 251
- Milk** *see* **Animal milk; Breast milk; Formula**
- Miscarriage**  
HIV and, 233  
infertility and, 81  
reasons for, 219  
self-care following, 219
- Mobility aids**  
homemade, 223  
joint overuse and, 93–94  
muscle overuse and, 92–93  
older women beginning to use,  
  279, 281  
pregnancy and, 222–224  
resources for, 9  
support groups providing, 26  
transportation improvements for  
  ease of use, 35, 36  
women’s company making, 8  
*also see* **Canes; Crutches;**  
  **Equipment; Prosthetics;**  
  **Wheelchairs**

**Molasses**

- and honey, pressure sore treatment with, 115
- as iron source, 88
- and salt, rehydration drink with, 274

**Monthly bleeding**

- blind women and, 74, 109
- breast or nipple pain, 73
- caregiver assistance with, 110
- cleanliness and, 106, 109, 113
- cycle of, 75, 80
- discomfort with, 110
- dysreflexia and, 117
- end of (menopause), 282–285
- heavy bleeding, 111
- hormonal methods of family planning and changes in, 196
- implants and, 199
- injectable contraceptives and, 198
- IUD insertion side effects, 195
- learning or understanding difficulties and, 110
- names for, 74
- onset during puberty, 74
- oral contraceptives and, 197, 356
- self-care during, 109
- sexual health and, 182
- sign language for, 370
- spotting, IUD and, 195
- tampons (inserts), 109, 113
- urinary infections and, 106
- waiting to try pregnancy again, 219
- also see* **Bleeding from vagina**

**Morning after pill**, 205**Morning sickness**, 217**Mosquito netting**, 178, 275**Mothers**

- care for new, 249–250
- daughters caregiving for, 315
- relationship with baby, 253–254, 266–267, 269
- also see* **Babies; Childbirth; Children; Family; Pregnancy**

**Mouth care**, 98–99**Mouth, HIV/AIDS and problems of**, 175, 177**Mucus method**, 200–201**Mucus removal from newborn**, 246**Mumps**, 82**Muscles**

- contractures, 94–95

- cramps and spasms of, labor and, 240, 241, 243
- cramps of, pregnancy and, 225
- lack of exercise and, 88
- older women and, 278–279
- overuse of, mobility aids and, 92
- pain during sex and, 151, 152
- pain management, 120
- stretching, 90–91, 120
- also see* **Spastic (tight) muscles**

**Muscular dystrophy**, 14**N****Nappies** *see* **Diaper changing****Natural methods of family planning**

- comparison chart with other methods, 188
- counting days method, 201–202
- mucus method, 200–201
- overview, 187
- pulling out (withdrawal), 203

**Natural remedies** *see* **Traditional medicines****Nausea**

- ART and, 360
- dysreflexia and, 118
- early pregnancy and, 217
- hepatitis and, 167
- HIV/AIDS and, 175
- hormonal methods of family planning and, 196
- IUD and, 195
- kidney infection and, 106

**Needles, boiling of**, 168, 179, 180

- also see* **Injections**

**Neem chewing sticks**, 99**Neglect, as abuse**, 293**Nerves** *see* **Anxiety****Nervous conditions** *see* **Mental health****Nevirapine**, 361**Nifedipine**, 348

- grapefruit juice, avoiding with, 348

**Nipples**

- breastfeeding and problems with, 259, 260, 261, 262
- discharge from, 129
- illustration, 73
- monthly bleeding and pain in, 73
- sexuality and, 145

**Nitrofurantoin**, 348**Norfloxacin**, 349**Nuclear accidents**, 12**Numbness**

- of feet, 97
- oral contraceptives and, 197

**Nystatin**, 349**O****Older women**

- arthritis and, 279
- assistance, seeking, 281, 285
- community support for, 122
- depression and, 54, 55, 282
- exercise and, 278–279
- eyesight loss, 280
- hearing loss, 280
- infertility and, 82
- memory problems, 281
- mental confusion, 281
- mobility aids needed by, 279, 281
- overuse of joints and muscles, 278
- pressure sores, 278, 280
- prosthetics of, 279
- sexuality and, 141
- skin problems, 280
- support groups of, 286
- weak bones (osteoporosis), 280
- working for change, 286
- also see* **Menopause**

**Operations**

- infertility caused by, 81
- for no more children, 203–204, 205
- for overuse injuries of joints, 93
- for urine leaking, 101
- also see* **Abortion; C-section**

**Oral contraceptives**

- choice of, 355–356
- danger signs, 197
- drug interactions with, 355
- emergency family planning, 205, 302, 357–358
- given with implants, 199
- low dose, 197, 355, 357
- progestin-only, health issues requiring, 196, 198, 199, 206
- time required to be effective, 197
- use of, 197, 355–356

**Oral sex**, 147, 150, 181

- condom use during, 181
- as family planning method, 203
- comfortable positions and, 150
- pleasure and, 147

**Organizing** *see* **Working for change**

**Orgasm**, 79, 145–146

**Orphanages** *see* **Institutions**

**Osteoporosis** *see* **Weak bones**

**Outer folds of the vulva**, 78, 145

### **Ovaries**

- illustrated, 79
- monthly cycle and, 75, 79

**Overweight** *see* **Weight**

**Ovulation**, 75, 80  
infertility and, 82

**Oxytocin**, overuse of, 13

## P

### **Pain**

- arm, implants and, 199
- attention to, need for, 85, 96
- back pain, in pregnancy, 226–227
- breastfeeding and, 256, 259–261
- in breasts, monthly bleeding and, 73
- in chest, panic attacks and, 56
- during sex, 151–152, 160, 195
- during urine passing, 105, 159, 160, 303
- exercise and, 88, 90–92
- in feet, 97
- hemorrhoids, 108
- in lower belly
  - bladder infection, 105
  - gonorrhea, 160
  - hepatitis, 167
  - IUD problems, 195
  - monthly bleeding (cramps), 110
  - PID, 161
  - pregnancy and, 220
  - as sign of STIs, generally, 158
  - tubal pregnancy, 220
  - womb infection, 248
- management of, 120, 152
- mid or lower back, kidney infection and, 106
- in one leg, oral contraceptives and, 197
- of pressure sores, 116
- rape and, 303
- sex desire lacking and, 153
- sex positions to relieve, 150
- in stomach, no laxatives, 108
- stretching muscles to control, 90, 91
- of tendon overuse, 93

top of belly, sudden severe, 246  
*also see* **Joint pain and stiffness**

**Pain medicines**, 120

**Panic attacks**, 56

**Pap test**, 131, 165

**Paracetamol**, 350

### **Paralysis, women with**

- c-section and, 244
- family planning methods, choice of, 206
- hormonal methods of family planning and, 196
- labor and, 236, 242, 243
- older women, 278, 280
- orgasm and, 146
- pregnancy and, 223–224, 227, 228, 230, 232
- sexuality and, 146, 150, 152
- vaginal delivery by, 244
- also see* **Polio; Spinal cord injuries, women with**

### **Parasites**

- children and, 275
- early detection, 126
- hookworm, 87

### **Partners**

- abusive, partner choice and, 144
- arranged marriages, 144, 155
- deserting mothers of disabled children, 21
- disabled, as abusive, 289
- finding a loving partner, 143–144
- midnight, 30, 144
- rape and feelings of, 305
- STIs and, treatment together, 169
- talking about sex, 147–149
- also see* **Family; Sex; Violence against women**

**Passing stools** *see* **Bowel program; Stools**

**Passing urine** *see* **Urine passing**

### **Pelvic area**

- illustrated, 79
- uneven hip bones, 79

### **Pelvic exam**, 127–134

- dysreflexia precautions, 132–133
- positions for, 133, 134
- spastic (tight) muscles and, 134
- steps of, 131

**Pelvic inflammatory disease (PID)**, 81, 161–162

**Penicillin**, 350

**Penicillin family**, 330  
allergy to, 163, 330

### **Penis**

- illustrated, 79
- sexual response and, 145
- withdrawal of, 182

**Period** *see* **Monthly bleeding**

### **Permanent methods of family planning**

- comparison chart with other methods, 188
- overview, 187

### **Pesticides**

- avoiding in pregnancy, 215
- as cause of disability, 14
- malaria prevention and, 275

### **Phenobarbital**

- oral contraceptives interacting with, 355
- pregnancy safety of, 231

### **Phenytoin**

- birth defects and, 231
- gums swelling and growing, 98
- oral contraceptives interacting with, 355

### **Physical abuse**

- mental health problems caused by, 290
- overview, 294
- support for leaving, 296–297
- also see* **Abuse**

### **Physical barriers**, 9–10

- health center and hospital design, 2
- also see* **Accessibility**

**PID (pelvic inflammatory disease)**, 81, 161–162

**Piles (hemorrhoids)**, 108

**Pills** *see* **Drugs; Medicines; Tablets**

**Pill, the** *see* **Oral contraceptives**

**Pinkeye (conjunctivitis)**, 99

**Placenta**, 236, 246, 247

**Plantago ovata (psyllium husks)**, 108

**Plant remedies** *see* **Traditional medicines**

**Pneumonia**, 175

**Podophyllin**, 351

**Poisons**, as cause of disability, 13, 14

### **Police**

- abuse education of, 312
- abuse reports to, 297
- rape reports to, 300, 301, 302, 304

**Policies** *see* **Government policies; Working for change****Polio**

- as cause of disability, 12
- immunization for, 276
- muscle stretches, 91
- post-polio syndrome, 279
- poverty and, 10
- pregnancy and, 210–211
- also see* **Paralysis, women with**

**Pornography, sexual abuse and,** 298**Poverty**

- as barrier to health care, 33
- as cause of disability, 10–11
- diet and, 51
- emotional abuse and, 292
- lack of HIV/AIDS medicines and, 176
- stress caused by, 51

**Power, abuse and,** 306, 307**Pre-eclampsia,** 222, 232, 246–247**Pregnancy**

- aches and pains in joints, 228
- after rape, 302
- after tubal ligation, 204
- alcohol, avoiding, 213, 215
- anemia and, 215
- baby drops lower, 217, 236
- back pain and, 226–227
- bacterial vaginosis, 113
- binder cloth for belly, 227
- birth plan, 214
- bladder infections, 230–231
- bleeding from vagina during, 220
- bowel program and, 215, 224, 229–230
- breathing difficulties, 217, 221, 227
- chemicals, as cause of birth defects, 14
- constipation during, 229
- diet during, 215–217, 221, 222, 232
- discomforts during, 220–230
- drugs, as cause of birth defects, 13, 14
- due date, 214
- early labor, prior, 217
- exercise and, 226, 227
- fertilization, 75, 80, 187
- folic acid (folate) during, 216
- genital herpes and, 165
- genital warts (HPV) and, 167
- German measles and, 12, 215
- healthy practices during, 215–217
- heartbeat of baby, 218

- hepatitis B and, 167, 168
- HIV/AIDS and, 169, 170, 233
- illnesses, as cause of birth defects, 12
- infertility, 81–82
- inherited birth defects, 14
- medicines, as cause of birth defects, 13, 214
- medicines, no laxatives or purgatives, 229
- medicines normally taken and, 214, 231
- menopause transition and, 285
- movement and balance aids, 222–224
- movement of baby, 218
- pain in lower belly, 220
- pain medicine during, 228
- penicillin allergy, 163
- piles (hemorrhoids) during, 230
- planning, 213
- prenatal checkups, 214
- pre-pregnancy self-care, 213
- prior abortion and, 208
- questions to ask before, 212
- sex during, 216–217
- sleeping difficulties and needs during, 221, 225
- stages of, 217–218
- swollen feet and legs, 222, 232
- syphilis and, 163–164
- tetanus immunization, 215, 276
- tiredness during, 221, 227
- tobacco, avoiding, 213, 215
- toxemia (pre-eclampsia), 222, 232, 245–246
- tubal, 220
- urine passing and leaking, 228–229, 238
- waiting to attempt, following miscarriage, 219
- water intake, 215, 227, 231
- working for change, 233–234
- yeast infections, treatment of, 111
- also see* **Abortion; Childbirth;**

**Family planning****Pressure sores,** 114–117

- cause of, 114, 116
- dysreflexia and, 117
- early treatment important for, 33, 114
- neglect and, 293
- older women and, 278, 280
- pregnancy and, 224, 232
- prevention, 112, 116–117, 224

- treatment, 114–116
- yeast infection and, 111

**Prevention**

- abuse and violence, 295–296, 311–312
- anemia, 88
- bladder infection, 106, 231, 284
- breasts painful in breastfeeding, 259
- contractures, 94–95
- depression in older women, 282
- dry skin, 117
- of eye infection, 99
- feet infections, 97
- hepatitis, 110, 168, 179
- HIV/AIDS, 110, 179–182
- kidney infection, 106
- malaria, 275
- muscle overuse, 92
- pre-eclampsia, 222
- pressure sores, 112, 116–117, 224
- repetitive movement injuries, 94
- STIs, 80, 180–182
- urinary infections, 106, 231
- weak bones (osteoporosis), 86, 280
- yeast infection, 111, 112–113, 177
- also see* **Cleanliness; Daily care;**

**Diet; Exercise; Working for change****Privacy**

- health workers and need for, 42, 174, 184, 198, 294
- HIV status and, 174
- injectable contraceptives and, 198
- institutional abuse and lack of, 306, 307
- rape and need for, 300, 301, 302
- reproductive system and, 78
- for sex, 150
- toileting, 123

**Probenicid,** 351**Procaine penicillin,** 352**Progesterone,** 72**Progestin-only methods**

- health problems requiring use of, 196, 198, 199, 206
- mini-pills, 356, 357, 358
- time required to be effective, 197

**Prophylactics** *see* **Condoms****Prosthetics**

- lack of, 9, 11
- older women and, 279, 280
- pregnancy and, 222

**Prostitutes** *see* **Sex work**

**Protein**

healthy diet and, 86–87  
 hepatitis recovery and, 168  
 for older babies, 266  
 pregnancy and, 215, 221, 222, 232  
 pressure sore prevention and, 117  
 in urine, toxemia and, 232, 246  
*also see* **Diet**

**Psychological problems see Mental health****Psyllium husks**

(*Plantago ovata*), 108

**Puberty**

body changes during, 71–73, 74  
 family support for, 76–77  
 health worker support for, 77  
 life changes during, 72  
 need for knowledge about, 71, 76  
 sexual health and, 141, 155, 156  
*also see* **Monthly bleeding**

**Pulling out (withdrawal) method**

as family planning method, 203  
 as safer sex, 182

**Psychosis (mental illness), 59–60**

*also see* **Mental health**

**R****Ramps, building, 40, 123****Rape**

abortion after, 207  
 bladder or kidney infections, 303  
 court, going to, 302, 304  
 defined, 299  
 emergency family planning  
 after, 302  
 exam by doctor following, 302  
 feelings after, 300, 301, 304, 305  
 getting help, 300–302  
 of girls, 299  
 health problems caused, 302–303  
 if someone you know has been  
 raped or abused, 301  
 partner's feelings about, 305  
 police, reporting to, 300, 301,  
 302, 304  
 pregnancy and, 302  
 and privacy, need for, 300, 301, 302  
 rapist known to woman, 298  
 self-defense, 308–311  
 sexual health after, 153, 154, 305  
 stigma of, 299, 300, 305  
 STIs and HIV/AIDS, 303  
 tears and cuts, 303

*also see* **Abuse; Violence  
 against women**

**Rashes**

as allergy sign, 329  
 ART and, 360  
 German measles, 12, 215, 276  
 herpes zoster (shingles), 175, 177  
 HIV/AIDS and, 175, 177  
 syphilis and, 158  
 urine passing into cloth and, 229

**Razors, boiling of, 179****Rectal exam, 131****Reflexes, overactive, 246****Rehydration drink, 274****Relaxation exercise, 61****Religion**

abortion and, 207  
 disabled excluded from, 292  
 family planning and, 185

**Remedies see Treatments****Repetitive motion injuries, 93–94****Reproductive system**

defined, 77  
 illustrated, 78, 79, 146  
 puberty and changes in, 71–73  
 woman's, 77–79  
*also see* **STIs**

**Residential schools see Institutions****Respect**

abuse and lack of, 288  
 for caregivers, 314  
 for disabled women, 42, 174, 184, 311  
 in health exams, 128, 137–138  
 for mentally ill women, 59–60  
 relationships and, 154, 155, 156

**Rheumatoid arthritis see Arthritis****Rights**

to be free from abuse, 288  
 to health care, 29, 33–34  
 to love, 139  
 to say who can touch, 311  
 UN Covenant, inside back cover

**Ringworm, 275****Role plays, 45–46****Ropes (handrails), 38, 123****Rubbers see Condoms****Rubella (German measles), 12, 215, 276****S****Safer sex, 180–182**

defined, 181  
 menopause and, 285  
 monthly bleeding and, 182  
 pregnancy and, 217

**Salt, pregnancy and, 221, 222, 232****Salt water treatment**

eyes, 100  
 soaking genitals after childbirth, 249

**Same-sex relationships (homosexuality), 145, 147, 148****Scabies, 275****Scarring, 168, 180****Seizures see Convulsions; Epilepsy****Self-defense against abuse and violence, 308–311****Self-esteem**

abuse and, 296, 312  
 family and community promotion  
 of, 68–69  
 gender and, 51  
 low expectations and, 52  
 mental health and, 62–65, 68–69  
 older women and, 282  
 and partners, finding, 143, 144  
 puberty and, 72  
 as self-defense, 309  
 sexuality and, 141, 155  
 work and, 143  
*also see* **Body image**

**Self-image see Body image****Selling sex see Sex workers****Semen, 79**

safer oral sex and, 181

**Senility, 281****Sex**

after childbirth, 249  
 after menopause, 284–285  
 anal, 181, 182, 203  
 bladder and bowel care, 152–153  
 bladder infection and, 105  
 body function during, 79  
 breast response, 73  
 desire, lack of, 153–154  
 dry vagina, 151, 182, 284  
 dysreflexia and, 117, 153  
 genital washing after, 106  
 homosexuality, 145, 147, 148  
 masturbation, 147, 181  
 muscle pain and spasms, 152  
 not having sex, 181

- oral sex, 147, 150, 181  
 pain during, 151, 152  
 pleasure from, 145–146, 147, 153  
 positions for, finding comfortable, 150, 216  
 pregnancy and, 216–217  
 privacy for, 150  
 problems during, 151–154  
 relationships and, 147–149  
 safer sex, 180–182, 217, 285  
 sign language for, 369  
 talking about needs and expectations, 147–148  
 tiredness and, 153  
 urine passing after, 106  
 for women who become disabled, 149  
*also see* **Family planning; STIs; Violence against women**
- Sex slaves**, 299
- Sexual abuse**, 298  
 finding partners and risk of, 144  
 girls especially at risk for, 298  
 in institutions, 306  
 learning disabled women and, 141, 204, 299  
 self-defense, 308–311  
 sexual health after, 153, 154  
 telling someone you trust, 183  
*also see* **Abuse; Rape**
- Sexual assault**, 299  
*also see* **Rape**
- Sexual harassment**, 298
- Sexual health**, 157  
 after rape or abuse, 153, 154, 305  
 community supporting, 139  
 education about, 142, 156  
 feeling pleasure from sex, 145–146, 147, 153  
 harmful beliefs, 31, 32, 140–141, 149, 157  
 problems during sex, 151–154  
 for women who become disabled, 149  
 working for change, 154–156  
*also see* **Sex; STIs**
- Sexually transmitted infections**  
*see* **STIs**
- Sexual parts of the body** *see* **Reproductive system**
- Sex work, disabled women forced into**, 15, 298, 299
- Shame**  
 abuse and, 287
- as disabling, 6  
 family feeling, 19, 292  
 puberty and, 72  
 rape and, 300  
 sexuality and, 151, 153  
 as trauma reaction, 57
- Sheep milk**, 263–264
- Shingles**, 175
- Shit** *see* **Stool**
- Shoes, feet health and**, 97
- Shortness of breath**  
 anemia and, 87  
 ART and, 360  
 oral contraceptives and, 197  
 pregnancy and, 217, 221, 227  
*also see* **Breath and Breathing**
- Short stature (dwarfism)**  
 older women, 278  
 pregnancy and, 213, 227
- Shots** *see* **Injections**
- Side effects**  
 of ART, 360  
 of emergency family planning, 358  
 of hormonal methods of family planning, 196, 198, 199, 356  
 IUDs, 195  
 phenytoin, 98  
 watching for, 327  
*also see* **specific medicines**
- Sign language**  
 with baby, 267  
 baby sling to free hands, 272  
 community, teaching, 295  
 education of girls in, 22  
 eyesight loss and, 280  
 finger spelling, 370, 371  
 for health workers to know, 369–371  
 HIV test centers and, 172  
 neighbors learning, 64  
 and rape, getting help after, 301  
 training health workers and police in, 36–37, 312  
*also see* **Communication**
- Signs of danger** *see* **Danger signs**
- Skin**  
 brown or purple patches on, 175  
 cracked, of feet, 97  
 daily check of, 96  
 dry skin prevention, 117  
 hot, red, or dark, 114  
 older women and problems with, 280
- pale, cold, or sweaty, allergy to medicine, 329  
 red, around genitals and in folds of flesh, 111  
 reddish or dark blotchy, above level of spinal cord injury, 118  
 yeast infection of, 111  
*also see* **Itching; Pressure sores; Rashes; Sores**
- Sleeping after childbirth**  
 with baby, 268  
 lack of, 254
- Sleeping and pregnancy**  
 breathing difficulties and, 227  
 difficulties in, 221  
 muscle cramps, 225
- Slim disease** *see* **HIV/AIDS**
- Sling for carrying baby**, 271–272
- Smoking** *see* **Tobacco**
- Social barriers**  
 generally, 7, 32  
 poverty, 33, 51  
*also see* **Barriers; Gender**
- Social change** *see* **Working for change**
- Soft drinks**, 283
- Sores**  
 on genitals (genital ulcers), 163–167  
*also see* **Pressure sores**
- Spastic (tight muscles)**  
 childbirth and, 213, 243  
 medicine for, timing of, 152  
 no massage for, 92, 134, 226  
 pain during sex and, 151, 152  
 pelvic exam and, 134  
 pregnancy and, 225–226  
 relaxing, 92, 134  
*also see* **Contractures; Muscles**
- Speculum**  
 preparation of woman for exam, 128, 132  
 sensations caused by, 131
- Speech difficulties, women with**  
 communication with, 36, 295  
 health worker helping, 43  
 rape, getting help after, 300–301
- Sperm**, 79  
 determining sex of baby, 212  
 infertility and, 82

- Spermicides**, 194  
 comparison chart with other methods, 188  
 diaphragm or cervical cap and, 193  
 irritation of vagina by, 194  
 sponge and, 193, 194
- Spina bifida, folic acid intake with**, 216
- Spinal cord injuries, women with**  
 childbirth by, 243  
 constipation and, 108  
 family planning methods for, 206  
 older women, 280  
 orgasm and, 146  
 pelvic exam and spastic muscles, 134  
 pregnancy and, 213  
 pressure sores and, 116, 280  
 relaxing tight (spastic) muscles, 92, 134  
 sexuality and, 146, 151, 153  
 STI signs, checking for, 159  
*also see* **Dysreflexia; Paralysis, women with**
- Splints**, 93
- Sponge, contraceptive**  
 comparison chart with other methods, 188  
 homemade, 194  
 irritation of vagina and, 194  
 using, 193–194
- Spotting** *see* **Monthly bleeding**
- Squeezing exercise**  
 childbirth preparation, 215  
 for urine leakage during pregnancy, 229  
 for urine-passing problems, 101
- Stavudine**, 362  
 caution against, 360
- Sterilization**, 203–204  
 comparison chart with other methods, 188  
 forced, 204, 306  
 for the man (vasectomy), 205  
 for the woman (tubal ligation), 203–204
- Stethoscope**, 218
- Sticks** *see* **Canes and sticks**
- Stiff body, newborn with**, 251
- Stigma**  
 of disabled, 300  
 HIV/AIDS and, 179  
 of rape, 299, 300, 305  
*also see* **Attitudes as barriers; Harmful beliefs about disability**
- STIs**, 158  
 barriers to health care for, 30–32  
 chancroid, 164  
 checking for signs of, 158–159  
 chlamydia, 160–162  
 genital herpes, 12, 165, 181  
 genital warts (HPV), 165–167  
 gonorrhea, 160–162, 181  
 hepatitis, 167–168  
 infertility and, 81, 82  
 multiple infection with, 161–162  
 pelvic inflammatory disease (PID), 81, 161, 162  
 pregnancy and, 215, 233  
 prevention of, 80, 180–182  
 prevention of, family planning methods and, 189, 191, 193, 203  
 rape and, 303  
 sign language for, 370  
 signs of, 158–159  
 sores on genitals and infection with, 163  
 syphilis, 12, 163–164  
 test not available, treatment when, 161–162  
 tests for, 12, 164, 169  
 trichomonas, 159–160  
 untreated, dangers of, 158  
 women and girls more easily infected by, 80  
 working for change, 182–184  
*also see* **HIV/AIDS; Safer sex**
- Stomach troubles, ART and**, 360
- Stool**  
 baby, cleaning of, 269–270  
 childbirth and removal of, 238, 239  
 hepatitis A infection and, 168  
 pelvic exam preparation by removing, 130  
 removing, 107, 108  
 safe handling of, 179, 180  
 sex and passing of, 152  
 wiping after passing, 106  
 yeast infections contaminated with, 111  
*also see* **Bowel program; Constipation**
- Stories about**  
 accessibility, working for change, 19, 23, 24, 34  
 adoption, 83  
 athletes, 17  
 beauty standard, 140  
 caregiver experiences, 319, 322  
 children's services, 37, 322  
 disability lens, 34  
 health exams, 126, 136  
 health workers learning from disabled women, 41  
 older woman going back to school, 285  
 pregnancy, 210–211, 234  
 rehabilitation device workshop, 8  
 self-esteem building, 63, 64, 65  
 selling vegetables, 17  
 sewing shop, 20  
 sexual health, 155  
 STIs, 30–32  
 stress and self-esteem, 52  
 sudden disability, coping with, 63, 65  
 suicide attempt, 64  
 support groups, 26  
 vaginal delivery, 242
- Stress**, 50–54  
 counting days method and, 201  
 infertility and, 82  
 physical changes and disease caused by, 50–51  
 social barriers as source of, 51–54
- Stroke**  
 hormonal methods of family planning and, 196  
 HRT and, 283
- Stuffy nose, dysreflexia and**, 118
- Substance abuse** *see* **Alcohol; Drugs; Tobacco**
- Suicide**, 55, 64
- Sulfas (sulfonamides)**, 330
- Support groups**  
 for abused women, 26, 295–297, 312  
 for accessibility, 25, 34  
 for caregivers, 321–325  
 community change, planning for, 18  
 exercises for, 66–67  
 feelings, recognizing, 66  
 for health exams, 30  
 helping relationships, 62  
 for institutional change, 307  
 of older women, 286  
 for parents of disabled children, 21  
 purposes of, 65  
 for sexual health, 154–155  
 for social activity organizing, 26

starting, 65–66, 321  
 for training in leadership, 26  
 understanding the causes of  
 problems, 67  
 for work opportunities, 26

**Suppositories**, 107, 108

**Surgery** *see* **Operations**

**Sweating**

dysreflexia and, 118  
 HIV/AIDS and, 169  
 menopause and, 282, 283  
 puberty and changes in, 72

**Swelling**

of breasts, hormonal methods of  
 family planning and, 196  
 of feet and legs, in pregnancy,  
 222, 232  
 hemorrhoids, 108  
 of lips and face, allergy, 329  
 of lymph nodes, breast infection  
 and, 260  
 in one leg, oral contraceptives  
 and, 197  
 as pressure sore sign, 114  
 varicose veins, 196

**Swimming**

as exercise, 90, 227  
 pain management with, 120

**Symptoms** *see* **Danger signs**

**Syphilis**

as cause of birth defects, 12  
 pregnancy and, 163–164  
 signs, 163  
 treatment, 163

## T

**Tablets**

alternatives to swallowing, 197, 205  
 diarrhea and, 197  
 swallowing method, 328  
 vomiting and, 197, 328  
*also see* **Medicines**

**Talking** *see* **Communication**

**Tattoos**, 168

**TCA (trichloroacetic acid)**, 166, 354

**Td (TT, tetanus) immunization**, 276

**Tea** *see* **Caffeine drinks**

**Teeth**

care of, 98–99  
 children and care of, 275

**Tendons, repetitive movement**

**injuries**, 93–94

**Testicles**

illustrated, 79  
 infertility and, 82  
 overview, 79  
 pain or swelling of, 160

**Tests** *see* **Exams and tests**

**Tetanus**

immunizations, pregnancy and, 215  
 of newborn, 251

**Tetanus toxoid**, 352

**Tetracycline**, 353

**Tetracycline family**, 330

**Throat, HIV/AIDS and problems  
 with**, 175

**Thrush**

breastfeeding and, 260  
 HIV/AIDS and, 175  
 HIV passing to baby and, 261  
 in newborn baby, 111  
 treatment, 260  
*also see* **Yeast infection**

**Thyroid gland**, cancer of, 12

**Tight muscles** *see* **Spastic muscles**

**Tingling in feet or hands, ART  
 and**, 360

**Tiredness**

from anemia, 87  
 ART and, 360  
 breathing difficulties and, 227  
 from depression, 54  
 from hepatitis, 167  
 from post-polio syndrome, 279  
 pregnancy and, 221, 227  
 sexuality and, 153  
 from stress, 51

**Tobacco**

avoiding in pregnancy, 213, 215  
 as cause of disability, 13  
 infertility and, 82  
 menopause and, 283  
*also see* **Drugs**

**Toilets**

as accessibility issue, 36  
 children using, 269, 275  
 design for, 39, 40, 123  
 hepatitis A prevention and, 168  
 wheelchair toilet, 224, 229

**Tools for care of wheelchair**, 366

**Tooth care** *see* **Teeth**

**Touch**

of blind women, 43, 138

of deaf women, 43  
 good touch and bad touch,  
 teaching difference, 311  
 HIV/AIDS not spread by, 171  
 older women's sexuality and, 284  
 rape and need for control over, 304  
 self-defense of unwanted, 308  
 self-touch, discomfort with, 137  
 sexual, as family planning  
 method, 203  
 sexual pleasure and, 145–146,  
 147, 153  
 of wheelchairs, 43

**Toxemia of pregnancy (pre-  
 eclampsia)**, 222, 232, 245–246

**Toys for babies**, 269

**Traditional medicines and home  
 remedies**

after childbirth, 249, 250  
 bladder infection, 105  
 constipation, 108  
 consult traditional healer for, 327  
 hemorrhoids, 108  
 hepatitis symptom relief, 168  
 menopause, 283  
 pregnancy and, advice for, 215  
 pressure sores, 115  
 sponge for family planning, 194

**Training**

lack of, for work, 52, 54  
 leadership, support groups and, 26  
*also see* **Education**

**Transportation**

improvement of health care with,  
 35, 36  
 support group for, 322

**Trauma**, 56–58

**Treatments** *see* **Medicines, specific  
 illness and problems**

**Trichloroacetic acid (TCA)**, 166, 354

**Trichomonas**

signs, 159  
 treatment, 160, 162

**Triphasic pills**, 355

**Tubal ligation**, 203–204

**Tubal pregnancy**, 220

**Tuberculosis**, 175

early detection, 126  
 HIV/AIDS and, 175, 177  
 infertility and, 81, 82  
 poverty and, 10

## U

- Umbilical cord, care for**, 250
- Underclothes, clean cotton**, 113
- Urethra**, woman's, 78, 103
- Urinary infections**  
catheter use and, 101, 102, 104, 106  
catheter used to treat, 119  
older women's sexuality and, 284  
pregnancy and, 230–231  
prevention, 106, 231, 284  
signs and treatment, 105–106
- Urinary opening**, 78, 104
- Urine**  
blood in, 303  
safe handling of, 180  
smells or looks bad, 105, 167  
water intake and color of, 231
- Urine bags**, 130
- Urine leakage**  
pregnancy and, 228–229  
yeast infection prevention and, 111, 112
- Urine passing**  
after sex, 106  
bladder control, 101  
childbirth and, 238, 239, 240  
cleanliness and, 100  
emptying the bladder, 101  
frequent need for, 105  
pain or burning during, 105, 159, 160, 303  
pelvic exam preparation by, 130  
pregnancy and, 228–229  
sex and, 152  
too full bladder, 106, 117  
water pouring over genitals, following rape, 303  
yeast infections soiled with, 111  
*also see* **Catheters**
- Uterus** *see* **Womb**

## V

- Vaccinations**  
BCG (tuberculosis), 276  
children's schedule for, 276  
disabilities avoided through, 12  
DPT, 276  
German measles (rubella), 12, 276  
hepatitis A and B, 168, 276  
Hib, 276  
polio, 276  
preventing disabilities with, 12
- tetanus, 215
- Vacuum aspiration**, 208
- Vagina**, 78–79  
care following miscarriage, 219  
childbirth and care for, 249  
delivery through, 234, 242, 244  
dry, sex and, 151, 182, 284  
folds of skin protecting, 78, 145  
menopause and changes in, 282, 284  
pain during sex in, 151  
pill absorption from, 205  
puberty and changes in, 72, 74  
sign language for, 370  
spermicides irritating, 194  
tears in, childbirth and, 249  
wetness during sex, 79, 145  
*also see* **Female genital cutting; Monthly bleeding; STIs**
- Vaginal folds**, 78, 145
- Vaginal infection**  
bacterial vaginosis, 113–114, 162  
catheter use and, 104  
mucus method during, 201  
pain during sex and, 151  
*also see* **yeast infection**
- Vaginal opening**, 78
- Vaginosis, bacterial**, 113–114, 162
- Valproic acid, oral contraceptives interacting with**, 355
- Varicose veins, hormonal methods of family planning and**, 196
- Vasectomy**, 205
- VD** *see* **Gonorrhea**
- Velcro**, 268, 270
- Vinegar**  
in homemade contraceptive sponge, 194  
yeast infection treatment, 112, 177
- Violence against women**  
in institutions, 306–307  
prevention, 295–296, 311–312  
self-defense methods, 308–311  
support for woman leaving partner, 296, 297  
support groups for women, 26  
as trauma, 57  
in workplace, 13  
*also see* **Abuse; Female genital cutting; Rape; Sexual abuse; Trauma**

**Virgins, harmful belief about HIV and**, 171, 299

**Viruses, antibiotics not curing**, 330

**Vision problems** *see* **Blind women; Eyes; Visual impairments, women with**

**Visual impairments, women with**  
baby of, bathing, 270  
baby of, keeping close, 251, 268  
baby of, keeping up with, 273  
condom, practice using, 190  
feeding baby with spoon or fingers, 265–266  
health worker helping, 43, 138  
*also see* **Blind women**

**Vomiting**

ART and, 360  
of birth control pill, 197, 328  
hepatitis and, 168  
HIV/AIDS and, 175  
kidney infection and, 106  
of medicines, 106, 328  
safe handling of vomit, 179, 180  
*also see* **nausea**

**Vulva**, 78

## W

**Walker, homemade**, 223

**Walking stick, homemade**, 223  
*also see* **Canes and sticks**

**War, as cause of disability**, 11

**Warm-bottle method to remove breast milk**, 258

**Warning signs** *see* **Danger signs**

**Warts** *see* **Genital warts**

**Water**

for bladder infection, 105, 231, 303  
care for new mother and, 249  
catheter use and need for, 102  
childbirth and need for, 237, 240, 246  
constipation and, 102, 108  
for dysreflexia, 119  
pregnancy and need for, 215, 227, 231  
urinary infections prevented by, 284

**Waters breaking**

birth process and, 237  
green or brown, 246  
labor not started within 24 hours, 245  
urine leakage imitating, 228

**Wax for wheelchair care**, 366

**Weak blood** *see* **Anemia**

**Weak bones (osteoporosis)**

- calcium and prevention of, 86, 280
- exercise to prevent, 280
- injectable contraceptives and, 198
- tobacco and, 283
- vitamin C and prevention of, 280

**Weight**

- exercise and overweight, 88
- HIV/AIDS and loss of, 169, 175, 177
- hormonal methods of family planning and gain of, 196
- infertility and, 82
- pregnancy and sudden gain of, 232

**Wheelchairs**

- attitudes as barriers and, 9–10
  - baby cushion, 272
  - care and maintenance of, 366–368
  - catheter use in, 102
  - cushion for, 116
  - doors and, 39
  - exercises from, 90, 278
  - hemorrhoids as risk with, 108
  - joint overuse (repetitive injury), 93–94, 278
  - muscle overuse, 92
  - older women and, 278, 279
  - pregnancy and temporary use of, 222
  - ramps, 40, 123
  - self-defense in, 308, 309
  - self-propulsion of, as exercise, 90
  - sex in, 150
  - stool removal from, 107
  - toilets and, 39, 40
  - touch of, 43
  - transportation improvements for, 35, 36
  - yeast infections as risk with, 111
- also see* **Equipment**

**Wheeled carts**

- baby sling and, 272
- muscle overuse and, 92

**Wheezing, allergy to medicine**, 329

**White discharge** *see* **Yeast infection**

**Wind (burping the baby)**, 264

**Witchcraft, as myth about disability**, 15, 16

**Witch hazel**, 108, 230

**Withdrawal method** *see* **Pulling Out**

**Womb (uterus)**, 79

- dysreflexia and contractions of, 117
- also see* **Contractions; Labor**

**Women as caregivers**, 315

**Work**

- as cause of disability, 13–14
  - exchange of, 296
  - job skills, 54
  - making mobility aids story, 8
  - market story, 17
  - and partners, finding, 143
  - preventing abuse during, 296
  - self-esteem and, 143
  - sewing shop story, 20
  - sexual harassment, 298
  - support groups for, 26
- also see* **Health workers; Sex work**

**Working for change**

- abortion safety, 208
- abuse, 307, 311–312
- accessibility, 17–19, 21–27
- action plan, working on, 48
- assistance generally needed, 121–122
- childbirth, 251
- family planning, 186, 205
- health centers and hospitals, making easier to use, 35–40
- health exams, 136–138
- institutions, 307
- looking for the root cause of problems, 31–32
- older women, 286
- raising awareness of disability issues, 17–27
- role plays, 45–46
- sexual health, 154–156, 182–184
- share experiences, 45
- STI prevention, 182–184
- toilet and latrine access, 123
- visit a health center and discuss it, 47

*also see* **Government policies and laws; Prevention; Support groups**

**Worms** *see* **Parasites**

**Wounds**

- care of, HIV and hepatitis prevention and, 179
- open (pressure sore), 114
- also see* **Female genital cutting**

## Y

**Yeast infection**

- antibiotics and, 177
- bone infection resulting from, 111
- breastfeeding and, 260
- HIV/AIDS and, 233
- home remedies for, 112
- in pregnancy, HIV and, 233
- pregnant women and babies, 111
- prevention, 111, 112–113, 177
- signs, 111
- of skin, 111
- treatment, 112, 177, 260
- of vagina, 111–113
- yogurt, sour milk, vinegar to help, 177

**Yellow eyes, yellow skin**

- ART and, 360
- also see* **Hepatitis**

## Z

**Zidovudine**, 362